












# PROMOTO TIEFERLEGUNGSKITS (LOWERING-KITS)

								25 mm	30 mm	35 mm	40 mm	45 mm	50 mm	55 mm	60 mm	65 mm	€	 Deutsch	 English
<b>APRILIA</b>																			
ETV 1000 Caponord	PS	01>	x	A							550-078-00						129,-		
<b>CAGIVA</b>																			
Canyon 500	M1	98>	x	A							550-093-00						129,-		
650 Raptor	M2	01>	x	A							550-066-00						129,-		
1000 Raptor	M2	00>	x	A							550-100-00						129,-		
<b>HONDA</b>																			
125 Varadero	JC 32	01>	x	B							550-073-00						129,-		
XR 125 L	JD 19	03>		B							550-106-00						129,-		
CBF 500	PC 39	04>	x	B							550-070-03						129,-		
CBR 600 F	PC 25	91-94	x	A													129,-		
CBR 600 F	PC 31	95-96	x	A													129,-		
CBR 600 F	PC 31 / PC 25	97-98	x	A													129,-		
CBR 600 F / FS1	PC 35	99-07	x	A													129,-		
CBR 600 RR	PC 37	03>	x	A													229,-	Bei Bj. 03/04 Fachw./Federpresse ntw.	With constr. year 03/04, spring press required
CBR 600 RR	PC 40	07>	x	A													129,-		
CBF 600	PC 38	04>	x	B							550-070-00						129,-		
CBF 600	PC 43	08>		B							550-070-07						129,-		
CB 600 Hornet	PC 34/ 36	98-05	x	B													129,-		
Hornet 600	PC 41	07>	x	B							550-070-06						129,-		
XL 600 V Transalp	PD 06/ PD 10	88-99	x	B													129,-		
FMX 650	RD 12	05>	x	B													129,-	Fachwerkstatt/Federpresse notwendig	Spring press/technician required
FX 650 Vigor	RD 09	99>	x	B													129,-		
NTV 650 Deauville	RC 47	98>	x	B													129,-	Fachwerkstatt/Federpresse notwendig	Spring press/technician required
NX 650 Dominator	RD 08	95>	x	B													129,-		
SLR 650	RD 09	96>	x	B													129,-		
XL 650 V Transalp	RD 10/ RD 11	00>	x	B													129,-		
NT 700 V Deauville	RC 52	06>	x	B													129,-	Fachwerkstatt/Federpresse notwendig	Spring press/technician required
XL 700 V Transalp	RD 13	08>		B													129,-		
VFR 750 F	RC 36	94>	x	A													129,-		
XRV 750 African Twin	RD 04/ RD 07	90>	x	B													129,-		
VFR 800 F	RC 46	98-01	x	A													129,-		
VFR 800 F	RC 46	02-05	x	A													129,-		
CBR 900 RR	SC 28	92-95	x	A													129,-		
CBR 900 RR	SC 33	96-97	x	A													129,-		
CBR 900 RR	SC 33	98-99	x	A													129,-		
CBR 900 RR	SC 44	00-01	x	A													129,-		
CB 900 Hornet	SC 48	02-03	x	B													129,-	Fachwerkstatt/Federpresse notwendig	Spring press/technician required
XL 1000 Varadero	SD 01	99-02	x	A													129,-	Bei 50 mm Hauptständer entfernen	With 50 mm remove centre-stand
XL 1000 Varadero	SD 02	03>	x	A													129,-		
CBF 1000/ABS	SC 58	06>	x	B													229,-	Fachwerkstatt/Federpresse notwendig	Spring press/technician required
CBR 1000 RR Fireblade	SC 57 B	04-05	x	A													229,-		
CBR 1000 RR Fireblade	SC 57 A	06>	x	A													229,-		
X 11	SC 42	99>	x	B													129,-	Fachwerkstatt/Federpresse notwendig	Spring press/technician required
CBR 1100 XX	SC 35	97>	x	A													129,-		
<b>HYOSUNG</b>																			
125 Naked	GT	03>	x	A													129,-		
XRX 125	RX	00>	x	A													129,-		
250 Naked	GT		x	A													129,-		
650 Naked	GT 650	04>	x	A													129,-		

A= Streben / Dreiecke / Umlenkungen (struts / triangles / linkage gadgets)  
 B= Federbeinauge / Federbeingabel (shock lug / shock fork)  
 C= Federteller (spring cup)

# PROMOTO TIEFERLEGUNGSKITS (LOWERING-KITS)







					25 mm	30 mm	35 mm	40 mm	45 mm	50 mm	55 mm	60 mm	65 mm	€	 Deutsch	 English
<b>KAWASAKI</b>																
GPZ 500 S	EX 500 D	94>	x	A				550-055-00						129,-		
KLE 500	LE 500 A	92>	<b>ABE 30 mm</b>	A		550-098-00						550-056-00		129,-	Bei 60 mm Fachw./Federpresse notw. Nur 1 Personenzulassung	With 60 mm, spring press/technician required, solo-operation certificated
ZX 6 R Ninja	ZX 600 F	95-97	x	A				550-057-00						129,-		
ZX 6 R Ninja	ZX 600 G	98-00	x	A			550-058-00							129,-		
ZX 6 R Ninja	ZX 600 J	00-02	x	A			550-058-01				550-059-00			129,-		
ZX 6 R Ninja	ZX 636 A/B	02-04	x	A				550-060-00						129,-		
ZX 6 R Ninja	ZX 636 C	05>	x	A				550-060-01						129,-	Fachwerkstatt/Federpresse notwendig	Spring press/technician required
ZX 6 R Ninja	ZX 600 P	07>	x	A		550-102-00								129,-		
ER 6 nf	ER 650 A	05>	x	C	550-085-00									129,-	Fachwerkstatt/Federpresse notwendig	Spring press/technician required
KLR 650	KL650C	95>	x	A				550-094-00						129,-		
Versys 650	LE650A	07>		B				550-113-00						129,-		
Z 750	ZR 750 J	04>	<b>ABE 30 mm</b>	A		550-062-02			550-107-00					129,-	Bei 50 mm Fachw./Federpresse notw. Nur 1 Personenzulassung	With 50 mm, spring press/technician required, solo-operation certificated
Z 750	ZR 750 L	07>	x	A		550-004-02			550-020-01					129,-		
Z 750 S	ZR 750 J	05>	<b>ABE 30 mm</b>	A		550-002-01				550-108-00				129,-	Bei 55 mm Fachw./Federpresse notw. Nur 1 Personenzulassung	With 55mm spring press/technician required, solo-operation certificated
ZX 9 R Ninja	ZX 900 B/C	94-99	x	A			550-061-00							129,-		
ZX 9 R Ninja	ZX 900 E	00-01	x	A			550-062-01							129,-	Fachwerkstatt/Federpresse notwendig	Spring press/technician required
ZX 9 R Ninja	ZX 900 E	02>	x	A			550-063-00							129,-		
ZX 10 R	ZXT 00 C	04>	x	A		550-027-01								129,-		
ZX 10 R	ZXT 00 D	06>	x	A		550-058-02								129,-		
KLV 1000	WVBS	04>	x	A		550-017-02			550-018-02					129,-	Hauptständer entfernen	Remove centre-stand
Z 1000	ZRT 00 A	03>	x	A		550-064-00								129,-		
Z 1000	ZRT 00 B	07>	x	A		550-001-01			550-102-01					129,-		
ZX 12 R	ZXT 20 AA	00-01	x	A			550-062-00							129,-	Fachwerkstatt/Federpresse notwendig	Spring press/technician required
ZX 12 R	ZXT 20 A / B	02>	x	A		550-065-00								129,-		
ZZR 1400	ZXT40AB	06>	x	A		550-096-00								129,-		
<b>SUZUKI</b>																
DR-Z 400 S/SM	WVBC/WVB8	00>	x	A				550-079-00						129,-		
GS 500 E/ GS 500	GM 51 B/ WVVK	89>	x	A		550-001-00			550-002-00					129,-	Bei 50 mm Hauptständer entfernen	With 50 mm remove centre-stand
GSF 600 Bandit	GN 77 B	95-99	x	A			550-003-00							129,-		
GSF 600 Bandit	WV A 8	00>	<b>ABE 30 mm</b>	A		550-004-00			550-005-00					129,-	Bei 50 mm Hauptständer entfernen, nur 1 Personenzulassung	With 50 mm remove centre-stand, only solo-operation certificated
GSX 600 F	AJ	98>	x	A		550-006-00			550-007-00					129,-	Bei 45 mm Hauptständer entfernen	With 45 mm remove centre-stand
GSXR 600 (V, W, X, Y)	AD 31	96-00	x	A				550-008-00						129,-		
GSXR 600	WV BG / WV B2	01-05	x	A				550-009-00						129,-		
GSXR 600	WV CE	06>	x	A		550-090-00								229,-		
GSR 600	WVB9	06>	x	A				550-009-03						129,-		
RF 600	GN 76 B	93>	x	A		550-010-00								129,-		
GSF 650 Bandit	WVB5	05>	<b>ABE 30 mm</b>	A		550-004-01			550-005-01					129,-	Bei 50 mm Hauptständer entfernen, nur 1 Personenzulassung	With 50 mm remove centre-stand, only solo-operation certificated
GSF 650 Bandit	WVCJ	07>	<b>ABE 30mm</b>	A		550-004-03			550-005-02					129,-	Bei 50 mm Hauptständer entfernen, nur 1 Personenzulassung	With 50 mm remove centre-stand, only solo-operation certificated
SV 650	AV	99-02	x	A		550-011-00			550-012-00					129,-	Bei 50 mm Hauptständer entfernen	With 50 mm remove centre-stand
SV 650	WV BY	03>	x	A		550-013-00			550-014-00					129,-		
DL 650 V - Strom	WVB1	04>	x	A		550-017-01			550-018-01					129,-	Hauptständer entfernen	Remove centre-stand
GSXR 750	GR 7 DB	96-99	x	A			550-015-00							129,-		
GSXR 750	WV BD /B3	00-05	x	A		550-009-01								129,-		
GSXR 750	WVCF	06>	x	A		550-090-01								229,-		
GSX 750 F	AK	98>	x	A		550-006-01			550-007-01					129,-		
RF 900 R	GT 73 B	94>	x	A			550-016-00							129,-		
GSX R 1000	WV BL/WVBZ	01-04	x	A		550-009-02								129,-		

A= Streben / Dreiecke / Umlenkungen (struts / triangles / linkage gadgets)

B= Federbeinauge / Federbeingabel (shock lug / shock fork)

C= Federteller (spring cup)

# PROMOTO TIEFERLEGUNGSKITS (LOWERING-KITS)







					25 mm	30 mm	35 mm	40 mm	45 mm	50 mm	55 mm	60 mm	65 mm	€	 Deutsch	 English
GSX R 1000	WVB6	05>	x	A		550-021-01								129,-		
DL 1000 V-Strom	WVB5	02>	x	A		550-017-00				550-018-00				129,-	Hauptständer entfernen	Remove centre-stand
SV 1000	WVBX	03>	x	A		550-019-00								129,-		
GSF 1200 Bandit	GV 75A	95-00	x	A			550-020-00							129,-		
GSF 1200 Bandit	WV A 9 / WV BC	00>	x	A		550-021-00								129,-		
GSF 1250 Bandit	WVCH	07>	ABE 30 mm	A		550-021-02				550-110-00				129,-		
GSXR 1300 Hayabusa	WV A 1	99>	x	A		550-022-00								129,-		
B-King	WVCR	07>		A				550-016-01						129,-		
<b>TRIUMPH</b>																
TT 600	806 AD	00-02	x	A			550-067-00							129,-		
Daytona 600/650	806 LW/865LX	03>	x	A			550-067-01							129,-		
Daytona 675	D 67 LC	06>	x	A			550-091-00							129,-		
Speed Four	806 LB	02>	x	A			550-067-02							129,-		
Speed Triple / 1050	595N/T509	97-04	x	A				550-092-00						229,-		
Speed Triple 1050	515NJ	05>	x	A				550-092-02						229,-		
Daytona 955 i	T 595	97-01	x	A				550-092-01						229,-	Nur für Einarmschwinge	Only for single-sided-swing-arm
Daytona Centennial	595 N	02	x	A				550-092-01						229,-	Nur für Einarmschwinge	Only for single-sided-swing-arm
Sprint RS (Zweiarmschwinge)	695 AC/T695	00-03	x	A		550-068-00								129,-		
Sprint ST	T695/695AB	99-04		A			550-111-00							229,-		
Sprint ST	215 NA	05>	x	A			550-103-00							229,-		
Tiger 1050	115NG	07>	x	A				550-099-00						129,-		
Street Triple	D67LD	07>		A			550-091-01							129,-		
<b>YAMAHA</b>																
DT 125 R/X	4BL/DE03/DE06	91>	x	A				550-074-00						129,-		
XT 125 R/X	79	05>		C	550-115-00									129,-		
XG 250 Tricker	DG14	06	x	A				550-101-00						129,-		
YZF 600 R 6	RJ 03	98-02	x	A				550-025-00						129,-		
YZF 600 R 6	RJ 05/RJ 09	03-05	x	A				550-026-00						129,-		
YZF 600 R 6	RJ 11	06-07	x	A				550-097-00						129,-		
YZF 600 R 6	RJ 15	08>		A				550-097-01						129,-		
YZF 600 R Thundercat	4 TV/ WD	96>	x	A				550-023-01						129,-		
FZS 600 Fazer	RJ 02	98>	x	A			550-024-00							129,-		
FZR 600 R	4 MH/ 4 JH	94-95	x	A				550-023-00						129,-		
FZ 6 Fazer	RJ 07/ RJ 14	03>	x	B	550-084-00									129,-	Fachwerkstatt/Federpresse notwendig	Spring press/technician required
FZ 6 Fazer	RJ 07/ RJ 14	03>		B						550-109-00				229,-	Orig. FB muss zur Montage eingeschickt werden (im Preis enthalten)	OEM shock must be sent in for assembly (included in the price)
MT 03	RM 02	06>	x	B		550-088-00								229,-		
SZR 660	4 SU	96>	x	A		550-014-01								129,-		
XT 660 R	DM 01	04>	x	A		550-075-00				550-076-00				129,-		
XT 660 X Supermoto	DM 01	04>	x	A					550-075-01				550-076-01	129,-		
YZF 750 R	4 HN	93-94	x	A			550-028-00							129,-		
YZF 750 SP	4 HT1/4 HT 2	93-94	x	A			550-027-00							129,-		
YZF 750 R/SP	4HN/4 HT	95>	x	A			550-028-01							129,-		
TDM 850	3VD/4CM/4TX	91>	x	C				550-029-00						129,-		
TDM 900	RN 08	02>	x	A			550-030-00							129,-		
TDM 900	RN 18	07>		A			550-030-01							129,-		
XJ 900 Diversion	4 KM	95>	x	A			550-031-00							129,-		
GTS 1000	4 BH	93-99	x	A	550-009-04									129,-		
FZR 1000 Exup	3 LE	89-95	x	A			550-032-00							129,-		
YZF 1000 R1	RN 12	04>	x	A			550-072-00							129,-		
YZF 1000 R1	RN 19	07>	x	A			550-104-00							229,-		
YZF 1000 R Thunderace	4 VD	96>	x	A				550-037-00						129,-		
FZS 1000 Fazer	RN 06	01>	x	A			550-033-00			550-034-00				129,-	Bei 50 mm Hauptständer entfernen	With 50 mm remove centre-stand
FZ 1 / Fazer	RN 16	06>	x	A			550-089-00							129,-		

A= Streben / Dreiecke / Umlenkungen (struts / triangles / linkage gadgets)

B= Federbeinauge / Federbeingabel (shock lug / shock fork)

C= Federteller (spring cup)

# PROMOTO TIEFERLEGUNGSKITS (LOWERING-KITS)

					25 mm	30 mm	35 mm	40 mm	45 mm	50 mm	55 mm	60 mm	65 mm	€	 Deutsch	 English
BT 1100 Bulldog	RP 05	01>	x	A				550-038-00						129,-		
FJR 1300	RP 04/ 08/ 11	01-05	x	A		550-039-00								129,-		
FJR 1300	RP 13	06>	x	A		550-059-02								129,-		
MT-01	RP 12	05>	x	A		550-081-00								229,-		
MT-01	RP 18	07>		A		550-081-01								229,-		

A= Streben / Dreiecke / Umlenkungen (struts / triangles / linkage gadgets)  
 B= Federbeinauge / Federbeingabel (shock lug / shock fork)  
 C= Federteller (spring cup)